

Introduction:

Rigid backer pad for polishing pads are designed to adapt polishing pads to angle grinder and air polisher with velcro system.

It is available for polishing different natural stone and floors.

Rigid backer pad for polishing pads for stone intended for connecting polishing pads for relevant equipment used for stone and floor polishing;

Rigid backer pad for polishing pads for Angle Grinder, Air Polisher and Floor Polishing Machine;

Rigid backer pad for polishing pads for stone polishing are available in M14, M16,5/8"-11 or Snail Lock.

Feature:

1. Shinning fast and polishing excellent;
2. Suitable for many shape;
3. Long lifespan and good performance.

Specification:

The following are the normal specifications of rigid backer pad diamond polishing:

Product Code	Type	Sizes	Available Connection
BW-R04-BP	Soft Pads Rubber	3"/80m	M14, 5/8"-11 or Snail Lock
BW-R04-BP	Rigid Pads Plastic	4"/100mm	M14, 5/8"-11 or Snail Lock
BW-R04-BP	Rigid Pads Aluminum	5"/125mm	M14, 5/8"-11 or Snail Lock

The above specification just a reference for customers. Other specification can order by clients.


Picture:



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Similar Product:

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com