

Introduction:**D25*160T*200L*1/2"G CNC Finger Milling Router Bit**

are usually use after diamond core drill bits, fast removing dust,diamond sink wheel.

They are

ideal for fast stock removal as well as truing up saw lines, which is designed to cut granite, engineered stone and marble,counter tops, kitchen tops and basins.

Usually mounted on CNC or Radial Arm machines, for hole grinding, anchor and blind hole.

Center water feed holes in each bit.

Wet use only.

Feature:

- 1.Faster Speed and Lasting longer
2. Less Noise and Low Ampere

Specifications:

The following are the normal specifications about **D25*160T*200L*1/2"G CNC Finger Milling Router**

Bit :

Diameter	Bore (mm)	Segment Length	Segment No.
20mm (3/4")	1/2 Gas (Male Thread) M14 5/8"-11	40mm	4-6pcs
25mm (1")		45mm	
30mm (1-1/4")		50mm	
35mm (1-3/8")		60mm	
40mm (1-5/8")			
50mm (2")			
60mm (2-3/8")			

The above specifications are for reference, other specifications can be ordered by customers.

Picture:**D25*160T*200L*1/2"G CNC Finger Milling Router Bit**

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Related product:

D16*30T*1/2"G CNC Diamond Finger Milling Cutter

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery CO.,Ltd.

ADD:Shuitou Town,Quanzhou,Fujian,China

Post Code:362342

TEL:(+86)595-86990206

FAX:(+86)595-86990220

Skype:boreway02

Whatsapp:(+86)18359335376

Wechat:Sherry_154

Email:boreway02@boreway.net